

METAL PROTECTION FILMS

www.prestotape.com (800) 331-1373

USA Manufacturer of specialty tapes, surface protection films, and print wall media.





Presto Tape is a completely integrated manufacturer of specialty tapes, surface protection films, and digital print media. Presto Tape has been a family-owned company since it was established in 1991. Every facet of the production process is executed on-site for maximum quality control. From formulating our own adhesives to coating, slitting, finishing, packaging, warehousing, and shipping—it is all done under one roof. This allows us to offer the highest quality products at such competitive prices.

CONTACT US

We would love to hear from you! Contact us to place an order, inquire about our products, or to become a distributor.

1626 Bridgewater Rd. Bensalem, PA 19020 (800) 331-1373 info@prestotape.com

OUR SALES TEAM IS HERE FOR YOU.

When you work with Presto Tape, you will have a Sales Representative to help select the right product for your business. A dedicated Inside Sales Representative will also be an extension of your team to help with quick assistance on existing orders.



MADE IN THE USA

Our products are manufactured, custom cut, and packaged on-site at our headquarters in Bensalem, PA. It's important to us to not only manufacture quality products but help support our local community and create jobs.



OUICK LEAD TIMES

We operate around the clock to offer quick lead times. We know delivery time is important to operating your business efficiently.



COMPETITIVE PRICING

We don't sacrifice quality for price, we know both are important factors when selecting products. We offer the best price-performance in the industry.




KNOWLEDGEABLE EMPLOYEES

We have been in business for over 30 years. Our team is comprised of individuals with unparalleled expertise and industry knowledge across all departments. It's a pleasure to do business with anyone at Presto.



CONSTANT INNOVATION

Innovative ideas and technical leadership are at the forefront of our approach to meeting our customer's needs. Presto constantly develops new products using our cutting-edge technology.



CONSISTENT QUALITY MANUFACTURING

Each product uses specially formulated adhesives and premium substrates in a patented production process. We follow strict quality controls in our state-of-the-art lab equipped with ASTM and PSTC testing capabilities.

METAL PROTECTION FILM




METAL PROTECTION FILM

Metal and stainless steel materials are frequently used for surfaces due to their attractive finish. However, preserving the appearance and preventing damage is critical to keeping the value of the material until it's ready for final use.

Our Metal Protection Film is designed to protect from damage, scratches, scrapes, markings, dust, dirt, and contamination particles. The temporary surface protection film is ideal for the end-to-end manufacturing process, storing, transporting, delivering, and installing metal-based products, surfaces, and fixtures such as appliances, architectural pieces, building materials, ductwork, and more. In addition, our temporary protective films can maintain the delicate finish of your metal surfaces until it's time to shine.

We're the industry's leading manufacturer of protective films, and our temporary metal protection film meets the industry's highest standards. Likewise, our products are manufactured on-site, allowing Presto Tape to offer the most competitive industry pricing and shipping lead times.



ABOUT OUR METAL PROTECTION FILMS

BENEFITS

- Temporarily protect a variety of metal surfaces from damage
- Satisfies SMACNA Guidelines
- Meets LEEDS requirement
- Protects against particle contamination
- · Removes clean, without leaving any residue behind
- Easy to install and remove

PRIMARY USE

- The film is capable of protecting metal surfaces from scratches, dings, damage, dust, dirt, scuffs, and contamination
- Suitable for all stages of the end-to-end manufacturing process, storage, shipping, installation, and preserving before end use

MATERIALS

- Materials: Polyethylene Film-coated with a water-based acrylic adhesive
- Solvent-Free sustainable adhesive

COLOR OPTIONS

· Available in clear, blue, and black/white

COMPATIBLE FINISHES

The film is suitable for the following metal finishes:

- 2B Mill Finish
- 2BA Bright Annealed
- #3 & #4 Dry Polish
- #7 & #8 Mirror Finish
- Stainless Steel Matte
- Aluminum finishes
- Tank Trailer Bright (Mirror)
- Dump Body
- Brushed
- Painted





TECHNICAL PRODUCT SPECIFICATIONS

METAL & STAINLESS STEEL

30L20 Low Tack Film

• Adhesion to Steel: PSTC-101(oz/in): 1.0 to 2.0

· Tack Level: Low

• Tensile Strength: PSTC-131 lb/sq in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.5 mils (nominal)

30L40 Medium Tack Film

Adhesion to Steel: PSTC-101(oz/in): 2.0 to 4.0

· Tack Level: Medium

• Tensile Strength: PSTC-131 lb/sq in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.5 mils (nominal)

30X40 Medium Tack Film

• Adhesion to Steel: PSTC-101(oz/in): 2.0 to 4.0

· Tack Level: Medium

• Tensile Strength: PSTC-131 lb/sq in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.5 mils (nominal)

ROOF & BUILDING

20L20 Low to Medium Tack Film

Adhesion to Steel: PSTC-101(oz/in): 1.0 to 2.0

• Tack Level: Low/Medium

• Tensile Strength: PSTC-131 lb/sq in: 7

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 1.6 mils (nominal)

20L40 Medium Tack Film

• Adhesion to Steel: PSTC-101(oz/in): 2.0 to 4.0

• Tack Level: Medium

• Tensile Strength: PSTC-131 lb/sq in: 7

• Elongation (%): PSTC-131: 325

Thickness: PSTC-133: 1.6 mils (nominal)

DUCT PROTECTION

20L60 Medium Tack Film

Adhesion to Steel: PSTC-101(oz/in): 4.0 to 7.0

· Tack Level: Medium

• Tensile Strength: PSTC-131 lb/sq in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 1.6 mils (nominal)

20L70 Medium Tack Film

Adhesion to Steel: PSTC-101(oz/in): 7.5 to 9.5

· Tack Level: Medium

• Tensile Strength: PSTC-131 lb/sg in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.0 mils (nominal)

20L77 High Tack Film

• Adhesion to Steel: PSTC-101(oz/in): 11.0 to 14.0

· Tack Level: High

• Tensile Strength: PSTC-131 lb/sg in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.0 mils (nominal)

30L60 Medium Tack Film

• Adhesion to Steel: PSTC-101(oz/in): 4.0 to 7.0

Tack Level: Medium

• Tensile Strength: PSTC-131 lb/sq in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.5 mils (nominal)

30L77 High Tack Film

• Adhesion to Steel: PSTC-101(oz/in): 11.0 to 14.0

· Tack Level: High

• Tensile Strength: PSTC-131 lb/sq in: 11

• Elongation (%): PSTC-131: 325

• Thickness: PSTC-133: 2.5 mils (nominal)

PRODUCT VARIATION SIZE & OUANTITY OPTIONS

METAL & STAINLESS STEEL

30L20 - Low Tack Metal Protection Film 24" x 200' / 36" x 200' / 48" x 200' / 60" x 200'

30L40 – Medium Tack Metal Protection Film 24" x 200' – 180 Rolls 36" x 200' – 90 Rolls 30" x 600' – 56 Rolls

30X40 - Medium Tack Metal Protection Film 24" x 200' / 36" x 200' / 48" x 200' / 60" x 200'

ROOF & BUILDING

20L20 - Metal Roof and Building Film Custom Sizes Up To 60" Width

20L40 – Metal Roof and Building Film Custom Sizes Up To 60" Width

NEED SOMETHING ELSE?

Custom sizes and long-length rolls are available by request. Contact our team to get started on a custom order.

email us at info@prestotape.com

DUCT PROTECTION

20L60 - Medium Tack Duct Film 24" x 200' / 36" x 200' / 48" x 200' / 60" x 200'

20L70 - Medium Tack Duct Film 24" x 200' / 36" x 200' / 48" x 200' - 90 Rolls

20L77 - High Tack Duct Film 24" x 200' / 36" x 200' / 48" x 200' - 90 Rolls

30L60 - Mid Tack Duct Film 24" x 200' / 36" x 200' / 48" x 200' / 60" x 200' - 90 Rolls

30L77- High Tack Duct Film 24" x 200' / 36" x 200' / 48" x 200' / 60" x 200' - 90 Rolls



TOP USES FOR METAL PROTECTION FILM



CONSUMER PRODUCTS



ARCHITECTURAL METAL



SHEET METAL



HVAC DUCTWORK



PAINTED METAL




BUILDING & ROOFING

PRESTO TAPE

PRODUCT APPLICATION CUIDE

CODE	DESCRIPTION	THICKNESS	COLOR	ADHESION	SURFACE/APPLICATION
20L20	Low Tack Film	1.6 mils	Clear, Blue	1.0-2.0	Matted & Semi-Gloss Surfaces, Metal Roofing & Building
20L40	Medium Tack Film	1.6 mils	Clear, Blue	2.0-4.0	Matted & Semi-Gloss Surfaces, Metal Roofing & Building
20L60	Medium Tack Film	1.6 mils	Clear, Blue	4.0-7.0	Semi-Smooth & Textured Surfaces, Standard Duct Protection Film
20L70	Medium Tack Film	2.0 mils	Clear, Blue	7.5-9.5	Polished Metals, Cultured Marble & Similar Surfaces, Standard Duct Protection
20L77	High Tack Film	2.0 mils	Clear, Blue	11.0-14.0	Textured, Embossed & Hard to Adhere Surfaces, High Tack Duct Protection
30L20	Low Tack Film	2.5 mils	Clear, Blue	1.0-2.0	Matted & Semi-Gloss Surfaces, Metal Roofing & Building
30L40	Medium Tack Film	2.5 mils	Clear, Blue, White	2.0-4.0	Matted & Semi-Gloss Surfaces, Polished Metals (such as #4 Stainless Steel)
30X40	Medium Tack Film	2.5 mils	Black, White	2.0-4.0	Polished Metals (such as #4 Stainless Steel) & other similar surfaces
30L60	Medium Tack Film	2.5 mils	Clear, Blue	4.0-7.0	Semi-Smooth & Textured Surfaces, Standard Duct Protection Film
30L77	High Tack Film	2.5mils	Clear, Blue	11.0-14.0	Textured, Embossed & Hard to Adhere Surfaces, High Tack Duct Protection



OUESTIONS?

Our team of experts is here to answer any questions or help find the right product for your needs.

(800) 331-1373 info@prestotape.com



For the latest updates and sneak peeks behind the scenes follow us on social media @prestotape
Use #PrestoTape to tag us when you're using our products