



**presto**  
tape

# PRODUCT CATALOG

[www.prestotape.com](http://www.prestotape.com)  
(800) 331-1373

USA Manufacturer of  
specialty tapes, surface  
protection films, and  
print wall media.





Presto Tape has been a completely integrated manufacturer of specialty tapes, surface protection films, and digital print media since 1991. Every facet of the production process is executed on-site for maximum quality control. From formulating our own adhesives to coating, slitting, finishing, packaging, warehousing, and shipping—it is all done under one roof. This allows us to offer the highest quality products at such competitive prices.

## **CONTACT US**

We would love to hear from you! Contact us to place an order, inquire about our products, or to become a distributor.

1626 Bridgewater Rd.  
Bensalem, PA 19020  
(800) 331-1373  
[info@prestotape.com](mailto:info@prestotape.com)

## **OUR SALES TEAM IS HERE FOR YOU.**

When you work with Presto Tape, you will have a Sales Representative to help select the right product for your business. A dedicated Inside Sales Representative will also be an extension of your team to help with quick assistance on existing orders.



### **MADE IN THE USA**

Our products are manufactured, custom cut, and packaged on-site at our headquarters in Bensalem, PA. It's important to us to not only manufacture quality products but help support our local community and create jobs.



### **QUICK LEAD TIMES**

We operate around the clock to offer quick lead times. We know delivery time is important to operating your business efficiently.




### **COMPETITIVE PRICING**

We don't sacrifice quality for price, we know both are important factors when selecting products. We offer the best price-performance in the industry.




### **KNOWLEDGEABLE EMPLOYEES**

We have been in business for over 30 years. Our team is comprised of individuals with unparalleled expertise and industry knowledge across all departments. It's a pleasure to do business with anyone at Presto.



### **CONSTANT INNOVATION**

Innovative ideas and technical leadership are at the forefront of our approach to meeting our customer's needs. Presto constantly develops new products using our cutting-edge technology.



### **CONSISTENT QUALITY MANUFACTURING**

Each product uses specially formulated adhesives and premium substrates in a patented production process. We follow strict quality controls in our state-of-the-art lab equipped with ASTM and PSTC testing capabilities.



## **PERFORATING**

There's no need for a knife or scissors to move through a job when perforations offer clean, easy tearing. Custom size perforations are available, as well as standard perforations of 2", 3", 4", 6", 8", 12", 24".

## **L-SEALING INDIVIDUAL ROLLS**

Individually wrapped rolls for retail readiness can be shrink-wrapped up to 13" wide, and 7" outside diameter.

## **CUSTOM LOGO PRINTED SURFACE PROTECTION FILM**

Add your logo, branding, or custom text to any clear or blue protective film to stand out in the market, add to your custom product line, create brand awareness on location, or provide safety instructions during use.

## **SINGLE ROLLS TO JUMBO ROLLS**

Presto offers a range of sizes, from rolls up to 5,000 ft. finished or unfinished rolls ready for converting exceeding 5,000 ft.

## **IN-HOUSE COATING**

Our adhesives and coatings are developed and performed in-house to maintain superior quality control. With our wide web water-based pressure-sensitive adhesive coating system, Presto can produce protective films up to 60" wide.

## **PALLET SHIPMENTS TO TRUCKLOAD ORDER**

Presto's expertise is in bulk shipments of any size. Whether you need just one pallet or a full truckload, we have you covered.

## **PRIVATE LABELING**

Presto is happy to handle the manufacturing for your brand and can package individual rolls into branded boxes.

## **PLANT CAPACITY**

Our warehouse has recently been expanded to accommodate further growth and fulfillment, providing ample capacity to support all of your business needs.

## **NARROW ROLL SLITTING**

Our cost-effective solutions cater to both quick-use tape and customized business requirements. Select from finished roll widths of 9mm, 12mm, 18mm, 24mm, 36mm and 48mm.




# CUSTOM PRINTED SURFACE PROTECTION FILM

Add your logo, branding, or custom text to any of our clear protective films to stand out in the market, private label for your product line, create brand awareness on location, or provide safety instructions during use.

- Choose from any of our clear or blue adhesive-backed protective films
- Up to 8 colors can be printed on clear film, black can be printed on blue film
- 16 printing options
- Choose from Self-Wound with adhesive on the inside or Reverse-Wound with adhesive on the outside
- 100,000 linear ft minimum order
- Available in custom width up to 60" and custom length up to 5,000ft
- 6-8 week lead time after final art approval

## DIRECTIONAL PRINTING GUIDE

Choose from 16 different printing options. Determine the direction which you would like your logo, graphic or text to print and if you would like the film to be self-wound or reverse-wound.







# QUALITY & TESTING

## ON-SITE QUALITY LAB

All of our products are tracked in an integrated ERP system with detailed lot traceability and barcoding for accuracy.

Our headquarters is quipped with ASTM & PSTC standards and methods testing capability including a temperature controlled 70°F testing lab. Presto performs ongoing testing of peel, loop tack, tensile, and shear.

Presto Tape is a member of PSTC and on the PSTC Technical Committee.

## SAMPLE TESTING

### SAMPLE TESTING SEND IN

Our team is equipped to sample test on-site to find the right product for your application. Connect with our sales team to send us a sample of your substrate to get started.

### SEND OUT SAMPLE ROLL TESTING

If it's not possible to send us a sample we can narrow down a few options that might work for your use case and we can ship you a sample roll to test at your location.

## STORAGE & USAGE GUIDELINES

### RECCOMENDED STORAGE

- Store protection film products in original package/shipping cartons until needed
- Temperature range of 60°-80°F
- Relative humidity range of 40%-60%
- Keep away from exposure to temperature extremes, direct sunlight, and water
- Rotate protection film inventory on a first-in first-out (FIFO) basis ensuring usage within the 6-month warranty period

### APPICATION GUIDELINES

- Ambient and substrate temperature should be within 60° – 90°F for best results
- Surfaces should be dry and clear of any lubricants, solvents or other contamination
- Application pressure should not vary from initial, approved trials

### AFTER PROTECTIVE MASKING IS APPLIED

- Do not store substrates for longer than 3 months with protection masking films applied
- Maintain storage temperature of masked substrate in the range of 60° – 90°F, and do not expose to extreme temperature variations
- Maintain masked substrates in relative humidity range of 40% - 60%
- Keep away from direct sunlight, and water, exposure to these conditions may result in adhesive transfer

# SURFACE PROTECTION FILMS

FILMS



We manufacture a wide assortment of surface protection films for a variety of uses and applications. The protective films are available in multiple tack strengths, thickness levels, sizes, colors, and quantities. Each product is designed with specially formulated adhesives and removes clean without leaving any residue behind.

## CARPET PROTECTION FILM

Our Carpet Protection Film is a temporary, yet extremely effective way to protect carpets from dirt, paint spills, dust, construction debris, and damage. It protects with clean removal, leaving no residue behind. The film should be used with synthetic carpets only and should not be used with natural fiber rugs.

### Product Options

- 20A80 – High Tack Carpet Film Premium – 1.8mil thickness
- 30A80 – High Tack Carpet Film Premium – 2.3mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
Color Options: Blue, Clear  
Size: Custom Sizes Up To 60" Width

## ZONE COATED CARPET PROTECTION FILM

Our Zone Carpet Protection Film is created with strips of superior adhesive on our formulated, durable, polyethylene film as a temporary solution to protect carpets from dirt, mud, paint spills, dust, construction debris, and damage. The polyethylene film is resistant to tears and punctures. The film should be used with synthetic carpets only and should not be used with natural fiber rugs.

### Product Options

- 20A80 ZC – Carpet Film Zone Coated – 1.8mil thickness

Polyethylene Film coated w/ water-based acrylic adhesive strips  
Color Options: Blue, Clear  
Size: Custom Sizes Up To 60" Width

## DUCT PROTECTION FILM

Our Duct Protection Film is fabricated as a temporary solution to seal off uninstalled or open ductwork and HVAC fixtures to protect from damage, dirt and particle contamination. Ideal for manufacturing, storing, stacking, transporting, delivering and installing ductwork and HVAC units. Satisfies SMACNA Guidelines and meets LEEDS requirements.

### Product Options

- 20L60 – Medium Tack Duct Film – 1.6mil thickness
- 20L70 – Med/High Tack Duct Film – 1.6mil thickness
- 20L77 – High Tack Duct Film – 1.8mil thickness
- 30L60 – Med/High Tack Duct Film – 2.2mil thickness
- 30L70 – Med/High Tack Duct Film – 2.2mil thickness
- 30L77 – High Tack Duct Film – 2.3mil thickness
- 40L77 – High Tack Duct Film – 3.2mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
Color Options: Blue, Dark Blue, Clear, White  
Size: Custom Sizes Up To 60" Width

## METAL PROTECTION FILM

Our Metal Protection Film is designed to protect from damage, scratches, scrapes, markings, dust, dirt and contamination particles. Ideal for the end to end manufacturing process, storing, transporting, delivering and installing metal-based products and surfaces. The polyethylene film is perfect for stainless steel matte finish, #3 or #4, aluminum finishes, trim, roll forming, and metal forming.

### Product Options

- 20L20 – Ultra Low Tack Metal Film – 1.6mil thickness
- 20L40 – Low Tack Metal Film – 1.6mil thickness
- 30L20 – Ultra Low Tack Metal Film – 2.1mil thickness
- 30L40 – Low Tack Metal Film – 2.1mil thickness
- 30X40 – Low Tack Metal Film – 2.2mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
Color Options: Blue, Clear, White, White/Black  
Size: Custom Sizes Up To 60" Width







**FLOOR PROTECTION FILM**

Our Floor Protection Film is created as a temporary solution to protect hardwood, ceramic tile floors, and stairs from dirt, mud, paint spills, stains, dust, construction debris, and damage. Ideal for construction, renovations, moving, parties, open houses, and in-home service visits. Reverse wound for easy application.

**Product Options**

- 30RW40 - Low Tack Floor Film - 2.1mil thickness
- 35RW40 - Low Tack Floor Film - 3.0mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue  
 Size: Custom Sizes Up To 60" Width

**AUTOMOTIVE MAT PROTECTION FILM**

Our Auto Mat Protection Film is designed to temporarily protect vehicle floor mats from dirt, mud, debris, oil, wet shoes and more during auto shop repairs and dealership test drives. The standard film is perforated every 21 inches and features printed text "DEALER MUST REMOVE PROTECTIVE COVER".

**Product Options**

- 50L80 - High Tack Film - 4.1mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Clear with Black Text  
 Size: 24" X 200' or 24" x 600'  
 Custom sizes and perforations available

**WINDOW PROTECTION FILM**

Our Window Protection Film is a temporary solution to protect windows from outdoor elements, damage, dirt and building materials. Ideal for manufacturing, storing, transporting, delivering and installing windows. The film is also designed for use during construction, renovations, interior and exterior painting, plastering, stucco, and brick acid washing. The film is designed to be applied to the metal frame.

**Product Options**

- 15LUV45 - Low Tack Window Film - 1.6mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear  
 Size: Custom Sizes Up To 60" Width

**COUNTER PROTECTION FILM**

Our Counter Protection Film is created as a temporary solution to protect counters, tiles and stone slabs from damage, stains, paint spills, dust, and construction debris. Ideal for fabricating, safely storing, transporting, delivering and installing countertops, stone slabs and tile. It's also perfect to use during construction, and renovations.

**Product Options**

- 30L40 - Low Tack Counter Film - 2.1mil thickness
- 40L40 - Low Tack Counter Film - 3.0mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear  
 Size: Custom Sizes Up To 60" Width

**ACCIDENT WRAP**

Our Accident Wrap is designed to keep car parts in place or damaged openings protected from elements. Ideal for use after an accident or to keep damaged parts in place and sealed together when towing. It can also be used to protect cracked windshields, broken windows, sprung doors, and exposed car interiors from rain, wind, dirt, snow, or over-spray.

**Product Options**

- 40L77 - High Tack Accident Wrap - 3.2mil thickness
- 40L90 - Ultra High Tack Accident Wrap - 3.5mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear  
 Size: Custom Sizes Up To 60" Width

**CABINET PROTECTION PAPER**

Low-tack adhesive-backed paper Ideal for fabricating, safely storing, transporting, delivering and installing surfaces like wood work or cabinetry. Our Surface Protection Paper is made with natural white colored paper. Cabinet Protection Paper is easy to install and keep in place for the duration of use.

**Product Options**

- 7169 - Ultra Low Tack Paper - 4.0mil thickness

Latex saturated paper with natural rubber adhesive  
 Color Options: White  
 Size: 24", 36", 48" long length rolls and custom sizes



### SURFACE PROTECTION PAPER

The adhesive-backed paper is ideal for fabricating, safely storing, transporting, delivering and protecting carpentry and woodworking projects, hard textured or non-textured plastic, and wood floors, and fiberglass surfaces before final use. Our Surface Protection Paper is made with natural white colored paper and backed with a low or high tack adhesive. The paper is easy to install and keep in place for the duration of use.

#### Product Options

- 7169 - Ultra Low Tack Paper - 4.0mil thickness
- 7186 - High Tack Paper - 4.0mil thickness

Latex saturated paper with natural rubber adhesive  
 Color Options: White  
 Size: 24", 36", 48" long length rolls and custom sizes

### GLASS & MIRROR PROTECTION FILM

Our Glass & Mirror Protection Film is created as a temporary solution to protect surfaces from damage, paint spills, dust, and construction debris. Ideal for manufacturing, storing, transporting, delivering and installing glass surfaces.

#### Product Options

- 20L20 - Ultra Low Tack Glass Film - 1.6mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear  
 Size: Custom sizes up to 60" width rolls

### PLASTIC PROTECTION FILM

Our Plastic Protection Film is created as a temporary solution to protect plastic surfaces and widgets from damage. Ideal for fabricating, storing, and transporting plastic surfaces and widgets.

#### Product Options

- 30L40 - Low Tack Plastic Film - 2.1mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear, White  
 Size: Custom Sizes Up To 60" Width

### ROOF & BUILDING PROTECTION FILM

Our Metal Roof and Building Protection Film is created as a temporary solution to protect matted and semi-gloss metal surfaces from damage, dust, and construction debris. Ideal for fabricating, storing, transporting, and installing metal roofing and building surfaces.

#### Product Options

- 20L20 - Ultra Low Tack Film - 1.6mil thickness
- 20L40 - Low Tack Film - 1.6mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear, White  
 Size: Custom Sizes Up To 60" Width

### FIXTURE PROTECTION FILM

Our Fixture Protection Film is created as a temporary solution to protect fiberglass surfaces such as bathroom tubs, sinks, and toilets, from damage, stains, paint spills, cracks, and dust. Ideal for fabricating, storing, transporting, delivering and installing sink and tub fixtures or semi-smooth surfaces.

#### Product Options

- 30L40 - Low Tack Sink and Tub Film - 2.1mil thickness
- 40L40 - Low Tack Sink and Tub Film - 3.0mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear, White  
 Size: Custom Sizes Up To 60" Width



**ALL  
PRODUCTS  
FORMULATED  
FOR CLEAN  
REMOVAL**





# SPECIALTY TAPES

TAPES



Presto offers a product line of top-notch specialty tapes created for various uses and applications. Our specialty tapes are available in multiple tack strengths, thickness levels, sizes, colors, and quantities. Each roll is manufactured using premium materials and follows strict quality controls.

## ALL WEATHER TAPE

Our All Weather Tape is a heavy duty clear tape designed for indoor and outdoor use. Ideal for greenhouse patchwork, seaming, splicing and heavy bundling. The All Weather Tape is available with a serrated edge that makes it an easy tear product. Provides 90-day UVI protection.

### Product Options

- 702 - Ultra High Tack All Weather Tape
- 702ET - All Weather Tape Serrated Edge

## BLUE PAINTER'S TAPE

Our Blue Painter's Tape is designed for drywall, glass, hardwood floors, metal, wood trim, and a variety of other surfaces. Ideal for molding, trim, plate switches, walls, floors, ceilings and windows. The most typical use is paint and window masking.

### Product Options

- P621 - High Tack Blue Painter's Tape

## GREEN MASKING TAPE

Ideal for general industrial use, seaming plastic sheeting, and floor markings. It's designed for floors, metal, concrete, and a variety of hard-to-stick, textured or rough surfaces that require a high tack mask.

### Product Options

- P622 - Ultra High Tack Green Masking Tape

## STRAPPING TAPE

Ideal for palletizing, bundling, color-coding, unitizing, and securing shipments. Strapping Tape is designed to keep boxes from shifting in transit and reinforces packages bearing significant weight.

### Product Options

- 104 - Medium Tack Strapping Tape
- 105 - High Tack Strapping Tape

Polyethylene Film coated w/ water-based acrylic adhesive  
Color Options: Clear

### Available Size

- 36 and 60 yard rolls and custom sizes
- 24 Rolls Per Case

Crepe paper coated with water-based acrylic adhesive  
Color Options: Blue

### Available Sizes

- 3" x 60 yards - 16 Rolls Per Case
- 2" x 60 yards - 24 Rolls Per Case
- 1 1/2" x 60 yards - 32 Rolls Per Case
- 1" x 60 yards - 48 Rolls Per Case
- 3/4" x 60 yards - 64 Rolls Per Case

Crepe paper coated with water-based acrylic adhesive  
Color Options: Green

### Available Sizes

- 3" x 60 yards - 16 Rolls Per Case
- 2" x 60 yards - 24 Rolls Per Case
- 1 1/2" x 60 yards - 32 Rolls Per Case
- 1" x 60 yards - 48 Rolls Per Case

Tensilized polypropylene coated w/ water-based acrylic adhesive  
Color Options: Black, Clear, White

### Available Sizes

- 9mm x 55m (3/8" x 60 yards) - 192 Rolls Per Case
- 12mm x 55m (1/2" x 60 yards) - 144 Rolls Per Case
- 18mm x 55m (3/4" x 60 yards) - 96 Rolls Per Case
- 24mm x 55m (1" x 60 yards) - 72 Rolls Per Case
- 48mm x 55m (2" x 60 yards) - 36 Rolls Per Case
- 9mm x 110m (3/8" x 120 yards) - 128 Rolls Per Case
- 12mm x 110m (1/2" x 120 yards) - 96 Rolls Per Case
- 18mm x 110m (3/4" x 120 yards) - 64 Rolls Per Case
- 24mm x 110m (1" x 120 yards) - 36 Rolls Per Case
- 48mm x 110m (2" x 120 yards) - 24 Rolls Per Case

# APPLICATION TAPE

APP TAPE



Presto Tape offering a wide assortment of Application Tapes. Our range includes paper, film, embossed, and layflat to meet all of our customers needs. The Application Tapes are available in a variety of tack levels and ideal for sign making, transferring vinyl lettering and graphics, and as a premask for large graphics. We also offer pallet tape perfect for platen protection.

## EMBOSSSED APPLICATION TAPE

Our Embossed Film Application Tapes are designed to be completely transparent to easily align projects. Available in Low, Medium, and High Tack.

### Product Options

- 6173 - High Tack Film
- 6171 - Medium Tack Film
- 6170 - Low Tack Film

### Available Sizes

- 48" x 100 Yard 49 Rolls Per Case
- 54" x 100 Yard 49 Rolls Per Case
- 60" x 100 Yard 49 Rolls Per Case
- 48" x 100 Yard 49 Rolls Per Case

## LAYFLAT PAPER APPLICATION TAPE

Our Layflat Paper Application Tapes are designed to adhere to the liner flat for stacked jobs and easy to transport. Available in Medium to High Tack or High Tack Premium.

### Product Options

- 8282-P-LFA - High Tack Lay flat Premium Paper
- 7186-P-LFA - Mid to High Tack Lay Flat Paper

### Available Sizes

- 8282-P-LFA
  - 48" x 75 Yard 49 Rolls Per Case
  - 54" x 75 Yard 49 Rolls Per Case
  - 60" x 75 Yard 49 Rolls Per Case
- 7186-P-LFA
  - 48" x 100 Yard 49 Rolls Per Case
  - 54" x 100 Yard 49 Rolls Per Case
  - 60" x 100 Yard 49 Rolls Per Case

## PAPER APPLICATION TAPE

Our Paper Application Tapes are perfect for sign shop applications, transferring small to large graphics. The Paper is coated for easy unwind, wrinkle free, and partially transparent. Available in Ultra Low to Ultra High tack.

### Product Options

- 7174-P - Ultra High Tack Paper
- 7176-P - Ultra Low Tack Paper
- 7186-P - Mid to High Tack Paper

### Available Sizes

- 48" x 100 Yard 49 Rolls Per Case
- 54" x 100 Yard 49 Rolls Per Case
- 60" x 100 Yard 49 Rolls Per Case

## PALLET TAPE

Our Pallet Tape is designed as an eco-friendly solution to protect screen print platens, extend pallet life, reduce clean up after screen printing, and keep pallets clean from harsh chemicals and adhesives. Our Pallet Tape also protects print platens from spray adhesive build-up.

### Product Options

- 7160-PT - Pallet (Platen) Tape Natural

### Available Sizes

- 16" x 100 Yards - 98 Rolls Per Pallet (2 Rolls Per Case)
- 18" x 100 Yards - 98 Rolls Per Pallet (2 Rolls Per Case)
- 24" x 100 Yards - 98 Rolls Per Pallet (1 Roll Per Case)
- 30" x 100 Yards - 98 Rolls Per Pallet (1 Roll Per Case)

presto  
tape



# PRESTOTEX

## PRINT MEDIA

PrestoTex Print Media is a digitally printable polyester wallcovering fabric, perfect for large-scale wall installations or contour cut decals. Any image, pattern, branding, or graphic can be printed or painted and installed with ease. PrestoTex is removable, repositionable, leaves no adhesive behind once removed, and is easy to install without the mess of paste and water. PrestoTex is available with or without our exclusive peel-and-stick adhesive backing. It allows you to transform a room for a season, the term of a marketing campaign, or permanently without peeling, wrinkling, or curling.

## PRESTOTEX ADVANTAGE



### REMOVABLE & REPOSITIONABLE

Adhesive-backed & leaves no residue behind



### OPAQUE & THICK

Made from premium polyester & easily covers wall imperfections



### MADE IN THE USA

Manufactured on-site at our facility in Bensalem, PA



### BUY DIRECT

No middle man, buy direct with easy online ordering



### MULTI-MEDIUM USE

Use with printed ink, paint, plaster, markers & more



### COMPATIBLE INKS

solvent, eco-solvent, latex, UV

SHOP ONLINE

PRESTOTEX.COM



## AVAILABLE COLORS

Opt for silver or a gold variation to add shimmer and shine

**WHITE**

**SILVER**

**GOLD  
IRIDESCENT**



# PRESTO TAPE

## PRODUCT APPLICATION GUIDE

	CODE	DESCRIPTION	TOTAL THICKNESS	COLOR	ADHESION oz./in.	SURFACE/APPLICATION USE
SURFACE PROTECTION FILMS up to 6 month w/ protection & clean removal on all films	15LUV45	Low Tack Film	1.6 mils	Clear, Blue	2.0-4.0	Window Frames, Door Frames, Glass Tile and Blocks
	20L20	Ultra Low Tack Film	1.6 mils	Clear, Blue	1.0-2.0	Matted & Semi-Gloss Surfaces, Metal Roofing & Building
	20L40	Low Tack Film	1.6 mils	Clear, Blue	2.0-4.0	Matted & Semi-Gloss Surfaces, Metal Roofing & Building
	20L60	Medium Tack Film	1.6 mils	Clear, Blue	4.0-7.0	Standard Duct Protection Film, Semi-Smooth & Textured Surfaces
	20L70	Medium-High Tack Film	1.6 mils	Clear, Blue, Dark Blue	7.0-9.0	Standard Duct Protection Film
	20L77	High Tack Film	1.8 mils	Clear, Blue, Dark Blue	11.0-14.0	High Tack Duct Protection, Textured, Embossed & Hard to Adhere Surfaces
	20A80	High Tack Film	1.8 mils	Clear	14.0-16.0	Reverse-Wound. Synthetic Carpet Use (do not use on natural fiber carpets)
	30L20	Ultra Low Tack Film	2.1 mils	Clear, Blue, White	1.0-2.0	Metal Surfaces including Matted & Semi-Gloss, Metal Roofing & Building
	30L40	Low Tack Film	2.1 mils	Clear, Blue, White	2.0-4.0	Matted & Semi-Gloss Surfaces, Polished Metals (such as #4 Stainless Steel) Marble & Counters, Hardwood Surfaces
	30X40	Low Tack Film	2.2 mils	Black/White	2.0-4.0	Polished Metals (such as #4 Stainless Steel) & other similar surfaces
	30RW40	Low Tack Film	2.1 mils	Blue	2.0-4.0	Hardwood Floors & Ceramic Tiles/Painting, Remodeling, Renovations, & High Traffic Areas
	35RW40	Low Tack Film	3.0 mils	Blue	2.0 - 4.0	Hardwood Floors & Ceramic Tiles/Painting, Remodeling, Renovations, & High Traffic Areas
	30L60	Medium Tack Film	2.2 mils	Clear, Blue, White	4.0 - 7.0	Standard Duct Protection Film, Semi-Smooth & Textured Surfaces
	30L70	Medium-High Tack Film	2.2 mils	Clear, Blue, Dark Blue	7.0 - 9.0	Standard Duct Protection Film, Semi-Smooth & Textured Surfaces
	30L77	High Tack Film	2.3 mils	Clear, Blue, Dark Blue	11.0 - 14.0	High Tack Duct Protection, Textured, Embossed & Hard to Adhere Surfaces
	30A80	High Tack Film	2.3 mils	Clear	16.0 - 18.0	Synthetic Carpet Protection (not for use on natural fiber carpets)
	40L40	Low Tack Film	3.0 mils	Clear, Blue	2.0 - 4.0	Matted & Semi-Gloss Surfaces, Polished Metals (such as #4 Stainless Steel) Marble, Counters, Hardwood Surfaces
	40L60	Medium Tack Film	3.0 mils	Clear, Blue	4.0 - 7.0	Semi-Smooth & Textured Surfaces, Standard Duct Protection Film
	40L77	High Tack Film	3.2 mils	Clear, Blue	11.0 - 14.0	Textured, Embossed & Hard to Adhere Surfaces, High Tack Duct Protection, Wreck Film
	40L90	Ultra High Tack Film	3.5 mils	Clear, Blue	19.0 - 22.0	Textured, Embossed & Hard to Adhere Surfaces, High Tack Duct Protection, Accident Wrap
50L80	High Tack Film	4.1 mils	Clear	18.0 - 20.0	Self-Wound. Synthetic Carpet Use (do not use on natural fiber carpets)	
7169	Ultra Low Tack Paper	4.0 mils	Natural	Ultra Low	Cabinetry, Wood Working, Textured Plastics, & Other Surfaces	
7186	High Tack Paper	4.0 mils	Natural	High	Textured & Smooth Plastics, Fiberglass, & Other Surfaces	

	CODE	DESCRIPTION	TOTAL THICKNESS	COLOR	ADHESION oz./in.	SURFACE/APPLICATION USE
TAPES	104	Strapping Tape	2.5 mils	Clear, White, Black	10.0 - 15.0	Clean Removal for Printed Boxes, Palletizing, Bundling, Unitizing
	105	Strapping Tape	2.8 mils	Clear, White, Black	30.0 - 32.0	Palletizing, Bundling, Unitizing
	P621	Blue Painter's Tape	5.7 mils	Blue	19.0 - 22.0	Drywall, Glass, Painted and Unfinished Wood, & Other Surfaces
	P622	Green Masking Tape	5.9 mils	Green	23.0 - 35.0	Industrial Use, Construction, and Floor Markings, Bundling, for a variety of Hard-to-Stick, Textured or Rough Surfaces
	702	All Weather Tape	5.0 mils	Clear	30.0 - 40.0	Indoor/Outdoor Use, Greenhouse Patchwork, Seaming, Splicing & Heavy Bundling

	CODE	DESCRIPTION	TOTAL THICKNESS	COLOR	ADHESION oz./in.	SURFACE/APPLICATION USE
TRANSFER TAPES	6170	Low Tack Film	4.0 mils	Clear	Low	Premask or Transferring Large Sized Vinyl Graphics
	6171	Medium Tack Film	4.0 mils	Clear	Medium	Sign Shop Applications, Transferring Medium Sized Vinyl Graphics
	6173	High Tack Film	4.0 mils	Clear	High	Transferring Small Sized Vinyl Graphics
	7160	High Tack Paper	4.0 mils	Natural	High	Pallet/Platen Protection Tape
	7169	Ultra Low Tack Paper	4.0 mils	Natural	Ultra Low	Paper Protection Film for Cabinetry & Other Surfaces
	7174	Ultra High Tack Paper	4.0 mils	Natural	Ultra High	Transferring Small Vinyl Graphics & Lettering
	7176	Low Tack Paper	4.0 mils	Natural	Low	Premask or Transferring Large Sized Vinyl Graphics
	7186	High Tack Paper	4.0 mils	Natural	High	Sign Shop Applications, Transferring Medium Sized Vinyl Graphics
	7186-P-LFA	High Tack Paper	4.0 mils	Natural	High	Layflat Properties for Stacked Projects, Transferring Small & Medium Sized Graphics
	8282-P-LFA	High Tack Premium Paper	5.0 mils	Natural	High	Layflat Properties for Heavy Weight Paper for Transferring Small & Medium Sized Graphics

### QUESTIONS?

Custom sizes and long-length rolls are available by request.  
Contact our team to get started on a custom order.

(800) 331-1373  
info@prestotape.com

**PRESTO TAPE**  
est **pt** '91

**TAPES & FILMS**



**For the latest updates and sneak peeks behind the scenes  
follow us on social media @prestotape  
Use #PrestoTape to tag us when you're using our products**