

A man with dark hair, wearing a white long-sleeved shirt, is shown in profile, focused on applying a roll of clear adhesive tape to a surface. The background is a bar area with shelves of glasses. The PrestoTape logo is in the top right corner.

**presto**  
tape

# PRODUCT CATALOG

[www.prestotape.com](http://www.prestotape.com)  
(800) 331-1373

USA Manufacturer of  
specialty tapes, surface  
protection films, and  
print wall media.





Presto Tape has been a completely integrated manufacturer of specialty tapes, surface protection films, and digital print media since 1991. Every facet of the production process is executed on-site for maximum quality control. From formulating our own adhesives to coating, slitting, finishing, packaging, warehousing, and shipping—it is all done under one roof. This allows us to offer the highest quality products at such competitive prices.


## **CONTACT US**

We would love to hear from you! Contact us to place an order, inquire about our products, or to become a distributor.

1626 Bridgewater Rd.  
Bensalem, PA 19020  
(800) 331-1373  
[info@prestotape.com](mailto:info@prestotape.com)

## **OUR SALES TEAM IS HERE FOR YOU.**

When you work with Presto Tape, you will have a Sales Representative to help select the right product for your business. A dedicated Inside Sales Representative will also be an extension of your team to help with quick assistance on existing orders.



### **MADE IN THE USA**

Our products are manufactured, custom cut, and packaged on-site at our headquarters in Bensalem, PA. It's important to us to not only manufacture quality products but help support our local community and create jobs.



### **QUICK LEAD TIMES**

We operate around the clock to offer quick lead times. We know delivery time is important to operating your business efficiently.



### **COMPETITIVE PRICING**

We don't sacrifice quality for price, we know both are important factors when selecting products. We offer the best price-performance in the industry.




### **KNOWLEDGEABLE EMPLOYEES**

We have been in business for over 30 years. Our team is comprised of individuals with unparalleled expertise and industry knowledge across all departments. It's a pleasure to do business with anyone at Presto.



### **CONSTANT INNOVATION**

Innovative ideas and technical leadership are at the forefront of our approach to meeting our customer's needs. Presto constantly develops new products using our cutting-edge technology.



### **CONSISTENT QUALITY MANUFACTURING**

Each product uses specially formulated adhesives and premium substrates in a patented production process. We follow strict quality controls in our state-of-the-art lab equipped with ASTM and PSTC testing capabilities.



## **PERFORATING**

There's no need for a knife or scissors to move through a job when perforations offer clean, easy tearing. Custom size perforations are available, as well as standard perforations of 2", 3", 4", 6", 8", 12", 21", 24".

## **L-SEALING INDIVIDUAL ROLLS**

Individually wrapped rolls for retail readiness can be shrink-wrapped up to 13" wide, and 7" outside diameter.

## **SINGLE ROLLS TO JUMBO ROLLS**

Presto offers a range of sizes, from rolls up to 5,000 ft. finished or unfinished rolls ready for converting exceeding 5,000 ft.

## **IN-HOUSE COATING**

Our adhesives and coatings are developed and performed in-house to maintain superior quality control. With our wide web water-based pressure-sensitive adhesive coating system, Presto can produce protective films up to 60" wide.

## **PALLET SHIPMENTS TO TRUCKLOAD ORDER**

Presto's expertise is in bulk shipments of any size. Whether you need just one pallet or a full truckload, we have you covered.

## **PRIVATE LABELING**


Presto is happy to handle the manufacturing for your brand and can package individual rolls into branded boxes.

## **PLANT CAPACITY**

Our warehouse has recently been expanded to accommodate further growth and fulfillment, providing ample capacity to support all of your business needs.

## **NARROW ROLL SLITTING**

Our cost-effective solutions cater to both quick-use tape and customized business requirements. Select from finished roll widths of 9mm, 12mm, 18mm, 24mm, 36mm and 48mm.



# QUALITY & TESTING

## ON-SITE QUALITY LAB

All of our products are tracked in an integrated ERP system with detailed lot traceability and barcoding for accuracy.

Our headquarters is quipped with ASTM & PSTC standards and methods testing capability including a temperature controlled 70°F testing lab. Presto performs ongoing testing of peel, loop tack, tensile, and shear.

Presto Tape is a member of PSTC and on the PSTC Technical Committee.

## SAMPLE TESTING

### SAMPLE TESTING SEND IN

Our team is equipped to sample test on-site to find the right product for your application. Connect with our sales team to send us a sample of your substrate to get started.

### SEND OUT SAMPLE ROLL TESTING

If it's not possible to send us a sample we can narrow down a few options that might work for your use case and we can ship you a sample roll to test at your location.

## STORAGE & USAGE GUIDELINES

### RECCOMENDED STORAGE

- Store protection film products in original package/shipping cartons until needed
- Temperature range of 60°-80°F
- Relative humidity range of 40%-60%
- Keep away from exposure to temperature extremes, direct sunlight, and water
- Rotate protection film inventory on a first-in first-out (FIFO) basis ensuring usage within the 6-month warranty period

### APPICATION GUIDELINES

- Ambient and substrate temperature should be within 60° - 90°F for best results
- Surfaces should be dry and clear of any lubricants, solvents or other contamination
- Application pressure should not vary from initial, approved trials

### AFTER PROTECTIVE MASKING IS APPLIED

- Do not store substrates for longer than 3 months with protection masking films applied
- Maintain storage temperature of masked substrate in the range of 60° - 90°F, and do not expose to extreme temperature variations
- Maintain masked substrates in relative humidity range of 40% - 60%
- Keep away from direct sunlight, and water, exposure to these conditions may result in adhesive transfer



# SURFACE PROTECTION FILMS

We manufacture a wide assortment of surface protection films for a variety of uses and applications. The protective films are available in multiple tack strengths, thickness levels, sizes, colors, and quantities. Each product is designed with specially formulated adhesives and removes clean without leaving any residue behind.

## CARPET PROTECTION FILM

Our Carpet Protection Film is a temporary, yet extremely effective way to protect carpets from dirt, paint spills, dust, construction debris, and damage. It protects with clean removal, leaving no residue behind. The film should be used with synthetic carpets only and should not be used with natural fiber rugs.

### Product Options

- 20A80 – High Tack Carpet Film Premium - 1.8mil thickness
- 30A80 – High Tack Carpet Film Premium - 2.3mil thickness
- 20A80 ZC – Carpet Film Zone Coated -1.8mil thickness

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue, Clear

Size: Custom Sizes Up To 60" Width

## FLOOR PROTECTION FILM

Our Floor Protection Film is created as a temporary solution to protect hardwood, ceramic tile floors, and stairs from dirt, mud, paint spills, stains, dust, construction debris, and damage. Ideal for construction, renovations, moving, parties, open houses, and in-home service visits. Reverse wound for easy application.

### Product Options

- 30RW40 – Low Tack Floor Film - 2.1mil thickness
- 35RW40 – Low Tack Floor Film - 3.0mil thickness

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue

Size: Custom Sizes Up To 60" Width

## WINDOW PROTECTION FILM

Our Window Protection Film is a temporary solution to protect windows from outdoor elements, damage, dirt and building materials. Ideal for manufacturing, storing, transporting, delivering and installing windows. The film is also designed for use during construction, renovations, interior and exterior painting, plastering, stucco, and brick acid washing. The film is designed to be applied to the metal frame.

### Product Options

- 15LUV45 – Low Tack Window Film - 1.6mil thickness

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue, Clear

Size: Custom Sizes Up To 60" Width

## COUNTER PROTECTION FILM

Our Counter Protection Film is created as a temporary solution to protect counters, tiles and stone slabs from damage, stains, paint spills, dust, and construction debris. Ideal for fabricating, safely storing, transporting, delivering and installing countertops, stone slabs and tile. It's also perfect to use during construction, and renovations.

### Product Options

- 30L40 – Low Tack Counter Film - 2.1mil thickness
- 40L40 – Low Tack Counter Film - 3.0mil thickness

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue, Clear

Size: Custom Sizes Up To 60" Width



**ALL  
PRODUCTS  
FORMULATED  
FOR CLEAN  
REMOVAL**





**CABINET PROTECTION PAPER**

Low-tack adhesive-backed paper. Ideal for fabricating, safely storing, transporting, delivering and installing surfaces like wood work or cabinetry. Our Surface Protection Paper is made with natural white colored paper. Cabinet Protection Paper is easy to install and keep in place for the duration of use.

**Product Options**

- 7169 - Extra Low Tack Paper - 4.0mil thickness
- 7176 - Low Tack Paper - 4.0mil thickness

Latex saturated paper with natural rubber adhesive  
 Color Options: White  
 Size: 24", 36", 48" long length rolls and custom sizes

**SURFACE PROTECTION PAPER**

The adhesive-backed paper is ideal for fabricating, safely storing, transporting, delivering and protecting carpentry and woodworking projects, hard textured or non-textured plastic, and wood floors, and fiberglass surfaces before final use. Our Surface Protection Paper is made with natural white colored paper and backed with a low or high tack adhesive. The paper is easy to install and keep in place for the duration of use.

**Product Options**

- 7169 - Extra Low Tack Paper - 4.0mil thickness
- 7186 - Med/High Tack Paper - 4.0mil thickness

Latex saturated paper with natural rubber adhesive  
 Color Options: White  
 Size: 24", 36", 48" long length rolls and custom sizes

**GLASS & MIRROR PROTECTION FILM**

Our Glass & Mirror Protection Film is created as a temporary solution to protect surfaces from damage, paint spills, dust, and construction debris. Ideal for manufacturing, storing, transporting, delivering and installing glass surfaces.

**Product Options**

- 20L05 - Super Low Tack Glass Film - 1.5mil thickness
- 20L20 - Extra Low Tack Glass Film - 1.6mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear  
 Size: Custom sizes up to 60" width rolls

**HARD PLASTIC PROTECTION FILM**

Our Plastic Protection Film is created as a temporary solution to protect plastic surfaces and widgets from damage. Ideal for fabricating, storing, and transporting plastic surfaces and widgets.

**Product Options**

- 30L40 - Low Tack Plastic Film - 2.1mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear, White  
 Size: Custom Sizes Up To 60" Width

**FIXTURE PROTECTION FILM**

Our Fixture Protection Film is created as a temporary solution to protect fiberglass surfaces such as bathroom tubs, sinks, and toilets, from damage, stains, paint spills, cracks, and dust. Ideal for fabricating, storing, transporting, delivering and installing sink and tub fixtures or semi-smooth surfaces.

**Product Options**

- 30L20 - Extra Low Tack Sink and Tub Film - 2.1mil thickness
- 30L40 - Low Tack Sink and Tub Film - 2.1mil thickness
- 40L40 - Low Tack Sink and Tub Film - 3.0mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear, White  
 Size: Custom Sizes Up To 60" Width



**METAL PROTECTION FILM**

Our Metal Protection Film is designed to protect from damage, scratches, scrapes, markings, dust, dirt and contamination particles. Ideal for the end to end manufacturing process, storing, transporting, delivering and installing metal-based products and surfaces. The polyethylene film is perfect for stainless steel matte finish, #3 or #4, aluminum finishes, trim, roll forming, and metal forming.

**Product Options**

Product Options

- 15HP20 - Low Tack Metal Film - 1.5mil thickness
- 20HP20 - Low Tack Metal Film - 2mil thickness
- 25HP20 - Low Tack Metal Film - 2.5mil thickness
- 15HP40 - Medium Tack Metal Film - 1.5mil thickness
- 20HP40 - Medium Tack Metal Film - 2mil thickness
- 25HP40 - Medium Tack Metal Film - 2.5mil thickness
- 15HP60 - High Tack Metal Film - 1.5mil thickness
- 20HP60 - High Tack Metal Film - 2mil thickness
- 25HP60 - High Tack Metal Film - 2.5mil thickness

Co-extruded

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue, Clear, White, White/Black

Size: Custom Sizes Up To 60" Width

**TEXTURED METAL PROTECTION FILM**

Temporarily protect textured and patterned metal during fabrication, transportation, and storage through to installation from damage, dirt, scratches, abrasions, chemicals, paint chipping, and moisture. The film can be used before, during, and after texturizing metal and is ideal for low to rough textured metals, hammered, fluted, traction tread, diamond, quilted, and hard to stick painted metals.

**Product Options**

- 309230 - High Tack Textured Metal Film - 3mil thickness
- 309432 - Extra High Tack Textured Metal Film - 3mil thickness
- 309636 - Super High Tack Textured Metal Film - 3mil thickness

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue, Clear

Size: Custom Sizes Up To 60" Width

**ROOF & BUILDING PROTECTION FILM**

Our Metal Roof and Building Protection Film is created to temporarily protect roofing & building panels during fabrication, transportation, storage, and installation from damage, dirt, scratches, abrasions, chemicals, and moisture. The film can be applied to protect during die cutting, punching, sheering, fabricating soft to hard bends, slitting and forming. It is suitable for use with High Polished #7, Mirror Finish #8 Stainless Steel, Coarse Abrasive # 3, General Purpose Polished #4 Stainless Finish, 304, 416 Stainless Steel, Aluminum, Painted, Powder Coated, and Non-Painted General Metals

**Product Options**

Product Options

- 15HP20 - Low Tack Metal Film - 1.5mil thickness
- 20HP20 - Low Tack Metal Film - 2mil thickness
- 25HP20 - Low Tack Metal Film - 2.5mil thickness
- 15HP40 - Medium Tack Metal Film - 1.5mil thickness
- 20HP40 - Medium Tack Metal Film - 2mil thickness
- 25HP40 - Medium Tack Metal Film - 2.5mil thickness
- 15HP60 - High Tack Metal Film - 1.5mil thickness
- 20HP60 - High Tack Metal Film - 2mil thickness
- 25HP60 - High Tack Metal Film - 2.5mil thickness

Co-extruded options

Polyethylene Film coated with a water-based acrylic adhesive

Color Options: Blue, Clear, White

Size: Custom Sizes Up To 60" Width



**DUCT PROTECTION FILM**

Our Duct Protection Film is fabricated as a temporary solution to seal off uninstalled or open ductwork and HVAC fixtures to protect from damage, dirt and particle contamination. Ideal for manufacturing, storing, stacking, transporting, delivering and installing ductwork and HVAC units. Satisfies SMACNA Guidelines and meets LEEDS requirements.

**Product Options**

- 20L60 - Medium Tack Duct Film - 1.6mil thickness
- 20L70 - Med/High Tack Duct Film - 1.6mil thickness
- 20L77 - High Tack Duct Film - 1.8mil thickness
- 30L60 - Med/High Tack Duct Film - 2.2mil thickness
- 30L70 - Med/High Tack Duct Film - 2.2mil thickness
- 30L77 - High Tack Duct Film - 2.3mil thickness
- 40L77 - High Tack Duct Film - 3.2mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Dark Blue, Clear, White  
 Size: Custom Sizes Up To 60" Width

**ACCIDENT WRAP**

Our Accident Wrap is designed to keep car parts in place or damaged openings protected from elements. Ideal for use after an accident or to keep damaged parts in place and sealed together when towing. It can also be used to protect cracked windshields, broken windows, sprung doors, and exposed car interiors from rain, wind, dirt, snow, or over-spray.

**Product Options**

- 40L77 - High Tack Accident Wrap - 3.2mil thickness
- 40L90 - Ultra High Tack Accident Wrap - 3.5mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Blue, Clear  
 Size: Custom Sizes Up To 60" Width

**AUTOMOTIVE MAT PROTECTION FILM**

Our Auto Mat Protection Film is designed to temporarily protect vehicle floor mats from dirt, mud, debris, oil, wet shoes and more during auto shop repairs and dealership test drives. The standard film is perforated every 21 inches and features printed text "DEALER MUST REMOVE PROTECTIVE COVER".

**Product Options**

- 50L80 - High Tack Film - 4.1mil thickness

Polyethylene Film coated with a water-based acrylic adhesive  
 Color Options: Clear with Black Text  
 Size: 24" X 200' or 24" x 600'  
 Custom sizes and perforations available





# SPECIALTY TAPES

TAPES



Presto offers a product line of top-notch specialty tapes created for various uses and applications. Our specialty tapes are available in multiple tack strengths, thickness levels, sizes, colors, and quantities. Each roll is manufactured using premium materials and follows strict quality controls.

## STRAPPING TAPE

Ideal for palletizing, bundling, color-coding, unitizing, and securing shipments. Strapping Tape is designed to keep boxes from shifting in transit and reinforces packages bearing significant weight.

### Product Options

- 104 - Medium Tack Strapping Tape
- 105 - High Tack Strapping Tape

Tensilized polypropylene coated w/ water-based acrylic adhesive  
Color Options: Black, Clear, White

### Available Sizes

- 9mm x 55m (3/8" x 60 yards) - 192 Rolls Per Case
- 12mm x 55m (1/2" x 60 yards) - 144 Rolls Per Case
- 18mm x 55m (3/4" x 60 yards) - 96 Rolls Per Case
- 24mm x 55m (1" x 60 yards) - 72 Rolls Per Case
- 48mm x 55m (2" x 60 yards) - 36 Rolls Per Case
- 9mm x 110m (3/8" x 120 yards) - 128 Rolls Per Case
- 12mm x 110m (1/2" x 120 yards) - 96 Rolls Per Case
- 18mm x 110m (3/4" x 120 yards) - 64 Rolls Per Case
- 24mm x 110m (1" x 120 yards) - 36 Rolls Per Case
- 48mm x 110m (2" x 120 yards) - 24 Rolls Per Case

## BLUE PAINTER'S TAPE

Our Blue Painter's Tape is designed for drywall, glass, hardwood floors, metal, wood trim, and a variety of other surfaces. Ideal for molding, trim, plate switches, walls, floors, ceilings and windows. The most typical use is paint and window masking.

### Product Options

- P621 - High Tack Blue Painter's Tape

Crepe paper coated with water-based acrylic adhesive  
Color Options: Blue

### Available Sizes

- 3" x 60 yards - 16 Rolls Per Case
- 2" x 60 yards - 24 Rolls Per Case
- 1 1/2" x 60 yards - 32 Rolls Per Case
- 1" x 60 yards - 48 Rolls Per Case
- 3/4" x 60 yards - 64 Rolls Per Case

## GREEN MASKING TAPE

Ideal for general industrial use, seaming plastic sheeting, and floor markings. It's designed for floors, metal, concrete, and a variety of hard-to-stick, textured or rough surfaces that require a high tack mask.

### Product Options

- P622 - Extra High Tack Green Masking Tape

Crepe paper coated with water-based acrylic adhesive  
Color Options: Green

### Available Sizes

- 3" x 60 yards - 16 Rolls Per Case
- 2" x 60 yards - 24 Rolls Per Case
- 1 1/2" x 60 yards - 32 Rolls Per Case
- 1" x 60 yards - 48 Rolls Per Case

## ALL WEATHER TAPE

Our All Weather Tape is a heavy duty clear tape designed for indoor and outdoor use. Ideal for greenhouse patchwork, seaming, splicing and heavy bundling. The All Weather Tape is available with a serrated edge that makes it an easy tear product. Provides 90-day UVI protection.

### Product Options

- 702 - Extra High Tack All Weather Tape
- 702ET - All Weather Tape Serrated Edge

Polyethylene Film coated w/ water-based acrylic adhesive  
Color Options: Clear

### Available Size

- 36 and 60 yard rolls and custom sizes
- 24 Rolls Per Case

# APPLICATION TAPE

APP TAPE



Presto Tape offering a wide assortment of Application Tapes. Our range includes paper, film, embossed, and layflat to meet all of our customers needs. The Application Tapes are available in a variety of tack levels and ideal for sign making, transferring vinyl lettering and graphics, and as a premask for large graphics. We also offer pallet tape perfect for platen protection.

## EMBOSSSED APPLICATION TAPE

Our Embossed Film Application Tapes are designed to be completely transparent to easily align projects. Available in Low, Medium, and High Tack.

### Product Options

- 6173 - High Tack Film
- 6171 - Medium Tack Film
- 6170 - Low Tack Film

### Available Sizes

- 48" x 100 Yard 49 Rolls Per Case
- 54" x 100 Yard 49 Rolls Per Case
- 60" x 100 Yard 49 Rolls Per Case
- 48" x 100 Yard 49 Rolls Per Case

## LAYFLAT PAPER APPLICATION TAPE

Our Layflat Paper Application Tapes are designed to adhere to the liner flat for stacked jobs and easy to transport. Available in Medium to High Tack or High Tack Premium.

### Product Options

- 8282-P-LFA - High Tack Lay flat Premium Paper
- 7186-P-LFA - Mid to High Tack Lay Flat Paper

### Available Sizes

- 8282-P-LFA
- 48" x 75 Yard 49 Rolls Per Case
  - 54" x 75 Yard 49 Rolls Per Case
  - 60" x 75 Yard 49 Rolls Per Case
- 7186-P-LFA
- 48" x 100 Yard 49 Rolls Per Case
  - 54" x 100 Yard 49 Rolls Per Case
  - 60" x 100 Yard 49 Rolls Per Case

## PAPER APPLICATION TAPE

Our Paper Application Tapes are perfect for sign shop applications, transferring small to large graphics. The Paper is coated for easy unwind, wrinkle free, and partially transparent. Available in Low to Maximum High Tack.

### Product Options

- 7174-P - Maximum High Tack Paper
- 7176-P - Low Tack Paper
- 7186-P - Mid to High Tack Paper

### Available Sizes

- 48" x 100 Yard 49 Rolls Per Case
- 54" x 100 Yard 49 Rolls Per Case
- 60" x 100 Yard 49 Rolls Per Case

## PALLET TAPE

Our Pallet Tape is designed as an eco-friendly solution to protect screen print platens, extend pallet life, reduce clean up after screen printing, and keep pallets clean from harsh chemicals and adhesives. Our Pallet Tape also protects print platens from spray adhesive build-up.

### Product Options

- 7160-PT - Pallet (Platen) Tape Natural

### Available Sizes

- 16" x 100 Yards - 98 Rolls Per Pallet (2 Rolls Per Case)
- 18" x 100 Yards - 98 Rolls Per Pallet (2 Rolls Per Case)
- 24" x 100 Yards - 98 Rolls Per Pallet (1 Roll Per Case)
- 30" x 100 Yards - 98 Rolls Per Pallet (1 Roll Per Case)



presto  
tape





**For the latest updates and sneak peeks behind the scenes  
follow us on social media @prestotape  
Use #PrestoTape to tag us when you're using our products**